

Volume contents

Volume 72 (1998)

issue contents	1	F. Aberger, G. Weidinger, H. Grunz, K. Richter	
L. Swevers, K. Iatrou The orphan receptor BmHNF-4 of the silkmoth Bombyx		Anterior specification of embryonic ectoderm: the role of the <i>Xenopus</i> cement gland-specific gene XAG-2	115
mori: ovarian and zygotic expression of two mRNA isoforms encoding polypeptides with different activating domains	3	R. Rübsam, M. Hollmann, E. Simmerl, U. Lammermann, M.A. Schäfer, J. Büning, U. Schäfer The egghead gene product influences oocyte differentia-	
J.A. Belo, L. Leyns, G. Yamada, E.M. De Robertis The prechordal midline of the chondrocranium is defective in <i>Goosecoid</i> -1 mouse mutants	15	tion by follicle cell–germ cell interactions in <i>Drosophila</i> melanogaster	131
S.L. Dunwoodie, T.A. Rodriguez, R.S.P. Beddington <i>Msg1</i> and <i>Mrg1</i> , founding members of a gene family, show distinct patterns of gene expression during mouse	13	Y. DeLotto, R. DeLotto Proteolytic processing of the <i>Drosophila</i> Spätzle protein by Easter generates a dimeric NGF-like molecule with ventralising activity	141
embryogenesis	27	H. Dammann, F. Traincard, C. Anjard, M.X.P. van	
C.W. Beck, J.M.W. Slack Analysis of the developing <i>Xenopus</i> tail bud reveals separate phases of gene expression during determination		Bemmelen, C. Reymond, M. Véron Functional analysis of the catalytic subunit of <i>Dictyos-telium</i> PKA in vivo	149
and outgrowth	41	J.P. Viallet, F. Prin, I. Olivera-Martinez, E. Hirsinger, O. Pourquié, D. Dhouailly	
A. Audibert, F. Juge, M. Simonelig The suppressor of forked protein of <i>Drosophila</i> , a homologue of the human 77K protein required for mRNA 3'-end formation, accumulates in mitotically-		Chick <i>Delta-1</i> gene expression and the formation of the feather primordia	159
active cells	53	Short Communication A. Heller, M. Steinmann-Zwicky	
P.C.H. Lo, M. Frasch bagpipe-dependent expression of vimar, a novel Arma- dillo-repeats gene, in <i>Drosophila</i> visceral mesoderm	65	No premature gene expression in germ cells of embryos deriving from <i>nos</i> females	169
M. Qiu, K. Shimamura, L. Sussel, S. Chen, J.L.R. Rubenstein Control of anteroposterior and dorsoventral domains of		Gene expression patterns A. Crocoll, C.C. Zhu, A.C.B. Cato, M. Blum Expression of androgen receptor mRNA during mouse embryogenesis	17:
Nkx-6.1 gene expression relative to other Nkx genes during vertebrate CNS development	77	J.A. Dent, M. Han	
J. Zhao, P.J. Sime, P. Bringas Jr., J. Gauldie, D. Warburton		Post-embryonic expression pattern of C. elegans <i>let-60</i> ras reporter constructs	179
Epithelium-specific adenoviral transfer of a dominant- negative mutant TGF- β type II receptor stimulates embryonic lung branching morphogenesis in culture		Author index Subject index	183
and potentiates EGF and PDGF-AA	89	Volume contents	18
B. Hadeball, A. Borchers, D. Wedlich Xenopus cadherin-11 (Xcadherin-11) expression			
requires the Wg/Wnt signal	101		